


```

66:         <td align="right" bgcolor="ffffff"> <span
class="bodyTextBlack">${<%=FormatFactory.nullToNBSP(FormatFactory.formatNumber(rs.getInt("OUTSTAND_BOND
_DEBT"), "###,###")>%>&nbsp;  &nbsp; </span></td>
67:     </tr>
68: <%
69: }
70: %>
71: </to:query>
72: <%
73: sb = new StringBuffer("select ");
74: sb.append("BLDG_MSTR.MASTER_PLAN, ");
75: sb.append("SUM(MP_BOND_DATA.OUTSTAND_BOND_DEBT) as debt ");
76: sb.append(" From ");
77: sb.append(SCHEMA+"BLDG_MSTR, ");
78: sb.append(SCHEMA+"MP_BOND_DATA ");
79: sb.append(" Where ");
80: sb.append("BLDG_MSTR.FACILITY= MP_BOND_DATA.FACILITY ");
81: sb.append(" and ");
82: sb.append("MP_BOND_DATA.FACILITY='"+currFacAbbrev+"'");
83: sb.append(" and ");
84: sb.append("BLDG_MSTR.bldg_num=MP_BOND_DATA.bldg_num ");
85: sb.append(" group by ");
86: sb.append("BLDG_MSTR.MASTER_PLAN");
87: //System.out.println("contents_part2.jsp - SQL = \n"+sb);
88: double debtTotal01 = 0;
89: %>
90: <to:query SQL="<%= sb.toString() %>" statement="<%= stmt %>">
91: <%
92: while(rs.next()){
93:     debtTotal01 += Double.parseDouble(rs.getString("debt"));
94: %>
95:     <tr>
96:         <td align="right" valign="bottom" bgcolor="ffffff" colspan="4">
97:             <hr>
98:         </td>
99:     </tr>
100:     <tr>
101:         <td align="right" valign="bottom" bgcolor="ffffff"></td>
102:         <td align="right" valign="bottom" bgcolor="ffffff" class="bodyTextBlack"
colspan="2"><%=FormatFactory.nullToNBSP(rs.getString("MASTER_PLAN")) %> Sub-Total&nbsp;  &nbsp; </td>
103:         <td align="right" valign="bottom" bgcolor="ffffff" class="bodyTextBlack">${
104:             <%=FormatFactory.nullToNBSP(FormatFactory.formatNumber(rs.getInt("debt"),
"###,###")>%>&nbsp;  &nbsp; </td>
105:     </tr>
106: <%
107: }
108: %>
109: </to:query>
110:     <tr>
111:         <td align="right" valign="bottom" bgcolor="ffffff"></td>
112:         <td align="left" valign="bottom" bgcolor="ffffff"></td>
113:         <td align="right" valign="bottom" bgcolor="ffffff">
114:             <hr size="1">
115:         </td>
116:         <td align="right" valign="bottom" bgcolor="ffffff">
117:             <hr size="1">
118:         </td>
119:     </tr>
120:     <tr>
121:         <td align="right" valign="bottom" bgcolor="ffffff"></td>
122:         <td align="left" valign="bottom" bgcolor="ffffff"></td>
123:         <td align="right" valign="bottom" bgcolor="ffffff" class="bodyTextBlack"><b>
124:             Buildings Total&nbsp;  &nbsp; </b></td>
125:         <td align="right" bgcolor="ffffff"><span class="bodyTextBlack"><b>${
<%=FormatFactory.formatNumber((long)debtTotal01, "###,###")>%>&nbsp;  &nbsp; </b></span><br>
126:     </tr>
127: </table>
128: <br>

```

129: <%@ include file="include_code_footer.jsp"%>